

VINTAGE LED FILAMENT LAMP
FILAMENT SERIES



V2.5B11DLED22E V2.5B11DLED22 SB6.5A19DLED27



V4.5A19DLED22 V4.5T14DLED22 V6.5ST18DLED22 V6.5G30DLED22

PRODUCT DESCRIPTION:

MaxLite dimmable vintage LED filament lamps are energy-saving decorative lamps designed to reproduce the elegant ambient effect of incandescent lamps for hospitality, restaurant, residential and retail applications.

FEATURES:

- Input Power: 2.5W, 4.5W, 6.5W
- CRI: 80
- 15,000 hour life
- Dimming range: 10-100%
- Standard E26 base
- Power factor: ≥ 0.7
- Dimmable with standard incandescent dimmers
- Saves more than 90 percent on energy
- Suitable for totally enclosed luminaires
- 3 year limited warranty

APPLICATIONS

- Chandeliers
- Decorative lighting fixtures
- Wall sconces
- Pendants
- Suitable for damp locations

ORDERING CHART:

ORDER CODE	MODEL	WATTS	DESCRIPTION	EQUIVALENT WATTAGE	OUTPUT (LUMENS)	CCT	MAX TC POINT	DIMENSIONS (DIA" X L")
76530	SB6.5A19DLED27	6.5	SILVER BOWL 6.5W FILAMENT A19 2700K DIM	60W Inc.	700	2700K	115°C	2.38" x 4.12"
76915	V2.5B11DLED22	2.5	VINTAGE 2.5W FILAMENT B11 2200K DIM E12 BASE	25W Inc.	250	2200K	NA	1.40" x 4.30"
76531	V2.5B11DLED22E	2.5	VINTAGE 2.5W FILAMENT B11 2200K DIM E26 BASE	25W Inc.	250	2200K	85°C	1.40" x 3.58"
76543	V4.5A19DLED22	4.5	VINTAGE 4.5W FILAMENT A19 2200K DIM	40W Inc.	400	2200K	107°C	2.38" x 4.12"
76542	V4.5T14DLED22	4.5	VINTAGE 4.5W FILAMENT T14 2200K DIM	40W Inc.	400	2200K	107°C	1.75" x 4.50"
76541	V6.5G30DLED22	6.5	VINTAGE 6.5W FILAMENT G30 2200K DIM	60W Inc.	620	2200K	110°C	3.75" x 5.25"
76540	V6.5ST18DLED22	6.5	VINTAGE 6.5W FILAMENT ST18 2200K DIM	60W Inc.	620	2200K	NA	2.60" x 5.50"

COMPATIBLE DIMMERS:

MAKE	DIMMER MODEL	MAKE	DIMMER MODEL
Lutron	CTCL-153P	Lutron	MACL-153MH
Lutron	DVCL-153P	Leviton	IPL06
Lutron	LGCL-153P	Leviton	IPI10
Lutron	S-600	Leviton	6683-IW

ITEM	SPECIFICATION	VINTAGE			SILVER BOWL
		DETAILS			DETAILS
GENERAL PERFORMANCE	Power Consumption	2.5W	4.5W	6.5W	6.5W
	Lumens Delivered	250	400	620	700
	Efficacy (lm/W)	100	89	95	108
	CRI	80			80
	Color Temperature (CCT)	2200K			2700K
	Lumen Maintenance (L70)	15,000			15,000
ELECTRICAL	Power Factor	≥ 0.7			≥ 0.7
	Input Voltage	120V			120V
PHYSICAL	Base Type	E26, E12	E26		E26
	Operating Temperature	-4°F - 104°F			-4°F - 104°F
CERTIFICATION	Environment	Dry, Damp			Dry, Damp
	Warranty	3 Year Limited			3 Year Limited

Lighting layouts and spacing criteria available upon request